

## Refine Search

### Search Results -

Terms	Documents
L9 and (binary code\$ or machine code or object code)	20

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L10

Refine Search

Recall Text

Clear

Interrupt

### Search History

 DATE: Monday, February 09, 2004    [Printable Copy](#)    [Create Case](#)

Set Name	Query	Hit Count	Set Name result set
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L10</u>	L9 and (binary code\$ or machine code or object code)	20	<u>L10</u>
<u>L9</u>	L8 AND (TRANSLAT\$ OR CONVERT\$) NEAR5 (SOFTWARE\$ OR CODE\$ OR PROGRAM\$)	185	<u>L9</u>
<u>L8</u>	(database\$ near4 location\$ NEAR4 (iden\$ or number\$ or index\$))	989	<u>L8</u>
<u>L7</u>	(database\$ near4 (iden\$ or locat\$ or number\$ or index\$))	22021	<u>L7</u>
<u>L6</u>	l2 and database\$	0	<u>L6</u>
<u>L5</u>	L2 and (database\$ near5 (iden\$ or loocat\$))	0	<u>L5</u>
<u>L4</u>	L2 and (database\$ same (index\$ or value\$ or number\$))	0	<u>L4</u>
<u>L3</u>	L2 and (database\$ near5 (index\$ or value\$ or number\$))	0	<u>L3</u>
<u>L2</u>	disk drive sector near5 (index\$ or value\$ or number\$)	17	<u>L2</u>
<u>L1</u>	(drive near4 sector\$ near5 index\$) and (database\$ near4 index\$)	0	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
L26 and (substi\$ or replac\$ or semantic\$)	1

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:






### Search History

DATE: Monday, February 09, 2004    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L35</u>	l26 and (substi\$ or replac\$ or semantic\$)	1	<u>L35</u>
<u>L34</u>	l16 and optimiz\$	1	<u>L34</u>
<u>L33</u>	l14 and optimiz\$	0	<u>L33</u>
<u>L32</u>	l16 and (subs\$ or replac\$)	1	<u>L32</u>
<u>L31</u>	l16 and semantic\$	0	<u>L31</u>
<u>L30</u>	L29 and semantic\$ and (subst\$ or replac\$)	1	<u>L30</u>
<u>L29</u>	6625797.pn.	1	<u>L29</u>
<u>L28</u>	L27 and substi\$	1	<u>L28</u>
<u>L27</u>	L26 and (replac\$ or semantic\$ or subs\$)	1	<u>L27</u>
<u>L26</u>	5590331.pn.	1	<u>L26</u>
<u>L25</u>	L24 and (substi\$)	41	<u>L25</u>
<u>L24</u>	semantic\$ near5 (source near (program\$ or code\$)) and (translat\$ or convert\$ or decod\$)	115	<u>L24</u>

<u>L23</u>	semantic\$ near5 (source near (program\$ or code\$))	130	<u>L23</u>
<u>L22</u>	(semantic near4 substi\$)	28	<u>L22</u>
<u>L21</u>	l16 and (monitor\$ or performanc\$)	1	<u>L21</u>
<u>L20</u>	l16 and (translat\$ or decod\$)	1	<u>L20</u>
<u>L19</u>	L17 and region\$	1	<u>L19</u>
<u>L18</u>	L17 and regeion\$	0	<u>L18</u>
<u>L17</u>	L16 and (locat\$ or id\$ or name\$ or index\$)	1	<u>L17</u>
<u>L16</u>	5805895.pn.	1	<u>L16</u>
<u>L15</u>	code\$ near4 corresponding near4 translat\$	0	<u>L15</u>
<u>L14</u>	(code\$ or block\$ or software\$) near5 corresponding near5 (translat\$ or conver\$)	0	<u>L14</u>
<u>L13</u>	6070160.pn.	1	<u>L13</u>
<u>L12</u>	L11 and (database and locale) and (iden\$ or number\$ or index\$ or locat\$)	1	<u>L12</u>
<u>L11</u>	5835768.pn.	1	<u>L11</u>
<u>L10</u>	L9 and (binary code\$ or machine code or object code)	20	<u>L10</u>
<u>L9</u>	L8 AND (TRANSLAT\$ OR CONVERT\$) NEAR5 (SOFTWARE\$ OR CODE\$ OR PROGRAM\$)	185	<u>L9</u>
<u>L8</u>	(database\$ near4 location\$ NEAR4 (iden\$ or number\$ or index\$))	989	<u>L8</u>
<u>L7</u>	(database\$ near4 (iden\$ or locat\$ or number\$ or index\$))	22021	<u>L7</u>
<u>L6</u>	l2 and database\$	0	<u>L6</u>
<u>L5</u>	L2 and (database\$ near5 (iden\$ or loocat\$))	0	<u>L5</u>
<u>L4</u>	L2 and (database\$ same (index\$ or value\$ or number\$))	0	<u>L4</u>
<u>L3</u>	L2 and (database\$ near5 (index\$ or value\$ or number\$))	0	<u>L3</u>
<u>L2</u>	disk drive sector near5 (index\$ or value\$ or number\$)	17	<u>L2</u>
<u>L1</u>	(drive near4 sector\$ near5 index\$) and (database\$ near4 index\$)	0	<u>L1</u>

END OF SEARCH HISTORY